



Scott Specialty Gases

M-23411/

SCOTT_SPECIALTY_GASES _____

MATERIAL SAFETY DATA SHEETS

DATE: 10/13/00

SUPPLIER ADDRESS: 1290 COMBERMERE STREET

TROY, MI 48083

EMERGENCY PHONE: (248) 589-2950
NUMBER1. CHEMICAL PRODUCT

PRODUCT NAME: PROPANE IN AIR

SYNONYMS: None

2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredient Name	Formula	CAS#	Concentration	Exposure Limits (PPM)		
				ACGIH TLV	OSHA PEL	MAC
PROPANE	C3H8	74-98-6	1-1000 PPM	S/A	1000	NE
AIR	O2/N2	132259-10-0	BALANCE	NE	NE	NE

Note: S/A = SIMPLE ASPHYXIANT
NE = NONE ESTABLISHED

3. HAZARD IDENTIFICATION

*** EMERGENCY OVERVIEW ***
High pressure gas.
May accelerate combustion.

POTENTIAL HEALTH EFFECTS

ROUTES OF ENTRY: Inhalation

ACUTE EFFECTS: None

CHRONIC EFFECTS: None known

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: None known

OTHER EFFECTS OF OVEREXPOSURE: None

CARCINOGENICITY (US Only):

NTP - No

IARC MONOGRAPHS - No

OSHA REGULATED - No

Continu

M-23411/

4. FIRST AID MEASURES

INHALATION: None

EYE CONTACT: None

SKIN CONTACT: None

INGESTION: None

IN EVENT OF EXPOSURE, CONSULT A
PHYSICIAN

NOTE TO PHYSICIAN: None

5. FIRE FIGHTING MEASURES

FLASH POINT: Nonflammable

AUTOIGNITION TEMPERATURE: N/Ap

FLAMMABLE LIMITS: Nonflammable

LOWER:

UPPER:

EXTINGUISHING MEDIA: Use what is
appropriate for surrounding fire.SPECIAL FIRE FIGHTING INSTRUCTION AND
EQUIPMENT: Wear self-contained breathing
apparatus and full protective clothing.
Keep fire exposed cylinders cool with
water spray. If possible, stop the
product flow.

HAZARDOUS COMBUSTION PRODUCTS: None

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Cylinder rupture may occur under fire
conditions. Compressed air at high
pressure will accelerate the combustion
of flammable materials.6. ACCIDENTAL RELEASE MEASURES

CLEAN UP PROCEDURES: Evacuate and

7. HANDLING AND STORAGEPRECAUTIONS TO BE TAKEN IN HANDLING
Secure cylinder when using to protect
from falling. Use suitable hand truck to
move cylinders.PRECAUTIONS TO BE TAKEN IN STORAGE
Store in well ventilated areas. Keep
valve protection cap on cylinders
not in use.8. EXPOSURE CONTROLS/ PERSONAL
PROTECTION

ENGINEERING CONTROLS: None

PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses

SKIN PROTECTION: None

RESPIRATORY PROTECTION: In case of
leakage, use self-contained breathing
apparatus.OTHER PROTECTIVE EQUIPMENT: Safety glasses
when handling cylinders.9. PHYSICAL AND CHEMICAL
PROPERTIES

APPEARANCE: Colorless

ODOR: Pungent odor due to propane.

PHYSICAL STATE: Gas

VAPOR PRESSURE: N/Ap

VAPOR DENSITY (AIR=1): 1.11

BOILING POINT (C): N/Ap

SOLUBILITY IN WATER: @20 deg. cels
18.68 cm³/lSPECIFIC GRAVITY (H₂O=1): Gas

EVAPORATION RATE: Gas

ODOR THRESHOLD: N/Av

10. STABILITY AND REACTIVITY

ventilate area. Remove leaking cylinder to exhaust hood or safe outdoor area. Shut off source if possible and remove source of heat.

SPECIALIZED EQUIPMENT: None

STABILITY: Stable under normal storage conditions.

CONDITIONS TO AVOID: Storage in poorly ventilated areas. Storage near a heat source.

MATERIALS TO AVOID: None

HAZARDOUS POLYMERIZATION: Will not continue
M-23411/

occur.

HAZARDOUS DECOMPOSITION: None

11. TOXICOLOGICAL INFORMATION

LETHAL CONCENTRATION (LC50): None established

LETHAL DOSE 50 (LD50): N/Ap

TERATOGENICITY: N/Ap

REPRODUCTIVE EFFECTS: N/Ap

MUTAGENICITY: N/Ap

SARA: The threshold planning quantity for this mixture is 10,000 lbs.

EU NUMBER: N/Ap

NUMBER IN ANNEX 1 OF DIR 67/548: None is not listed in annex 1.

EU CLASSIFICATION: N/Av

R: 20

S: 9

12. ECOLOGICAL INFORMATION

No adverse ecological effects are expected.

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of non-refillable cylinders in accordance with federal, state and local regulations. Allow gas to vent slowly to atmosphere in an unconfined area or exhaust hood. If the cylinders are the refillable type, return cylinders to supplier with any valve outlet plugs or caps secured and valve protection caps in place.

16. OTHER INFORMATION

OTHER PRECAUTIONS: Protect container from physical damage. Do not deface cylinders or labels. Cylinders should be refilled by qualified producers of compressed gas. Shipment of a compressed gas cylinder which has not been filled by the owner or with his written consent is a violation of federal law (49

ABBREVIATIONS:

N/Ap - Not Applicable

N/Av - Not Available

SA - Simple Asphyxiant

NE - None Established

14. TRANSPORT INFORMATION

CONCENTRATION: 1-1000ppm

DOT DESCRIPTION (US ONLY):

PROPER SHIPPING NAME: Compressed gases, n.o.s.

HAZARD CLASS: 2.2 (nonflammable)

IDENTIFICATION NUMBER: UN1956

REPORTABLE QUANTITIES: None

LABELING: NONFLAMMABLE GAS

DISCLAIMER: Information included in this document is given to the best of our knowledge, however, no warranty is made that the information is accurate or complete. We do not accept any responsibility for damages by the use of the document.

ADR/RID (EU Only): Class 2, 1A

SPECIAL PRECAUTIONS: Cylinders should be transported in a secure upright position in a well ventilated truck.

15. REGULATORY INFORMATION

OSHA: Process Safety Management: Minor component is not listed in appendix A of 29 CFR 1910.119 as a highly hazardous chemical.

TSCA: Mixture is not listed in TSCA inventory.